ELSEVIER

Brain Research 787 (1998) 358–360

BRAIN RESEARCH

Author Index

Abe, K., Sugiura, M., Shoyama, Y. and Saito, H.
Crocin antagonizes ethanol inhibition of NMDA receptor-mediated responses in rat hippocampal neurons (787) 132
Albrecht, J., see Saran, T. (787) 348
Alia, S., Azérad, J. and Pollin, B.
Effects of RPR 100893, a potent NK1 antagonist, on the jaw-opening reflex in the guinea pig (787) 99
Almeida, A., see Bolaños, J.P. (787) 117
Anderson, C.M., Mandell, A.J., Selz, K.A., Terry, L.M., Wong, C.H., Robinson, S.R., Robertson, S.S. and Smotherman, W.P.
The development of nuchal atonia associated with active (REM) sleep in fetal sheep: presence of recurrent fractal organization (787) 351
Anderson, T.V., Moulton, A.R., Sansom, A.J., Kerr, D.W.R., Laverty, R., Darlington, C.L. and Smith, P.F.
Evidence for reduced nitric oxide synthase (NOS) activity in the ipsilateral medial vestibular nucleus and bilateral prepositus hypoglossi following unilateral vestibular deafferentation in the guinea pig. (787) 311
Arendt-Nielsen, L., see Graven-Nielsen, T. (787) 203
Attwell, P.J.E., Koumentaki, A., Croucher, M.J. and Bradford, H.F.
Specific group II metabotropic glutamate receptor activation inhibits the development of kindled epilepsy in rats (787) 286
Ayalon, L., see Joel, D. (787) 143
Azérad, J., see Alia, S. (787) 99

Babenko, V., see Graven-Nielsen, T. (787) 203
Belayev, L., Busto, R., Ikeda, M., Rubin, L.L., Kajiwara, A., Morgan, L. and Ginsberg, M.D.
Protection against blood–brain barrier disruption in focal cerebral ischemia by the type IV phosphodiesterase inhibitor BBB022: a quantitative study (787) 277
Bezard, E., see Boraud, Th. (787) 157
Bioulac, B., see Boraud, Th. (787) 157
Bolaños, J.P., Almeida, A. and Medina, J.M.
Nitric oxide mediates brain mitochondrial damage during perinatal anoxia (787) 117
Boraud, Th., Bezard, E., Guehl, D., Bioulac, B. and Gross, Ch.
Effects of L-DOPA on neuronal activity of the globus pallidus externalis (GPe) and globus pallidus internalis (GPi) in the MPTP-treated monkey (787) 157
Bossenmeyer, C., Chihab, R., Muller, S., Schroeder, H. and Daval, J.-L.
Hypoxia/reoxygenation induces apoptosis through biphasic induction of protein synthesis in cultured rat brain neurons (787) 107
Boutin, H., Jauzac, P., MacKenzie, E.T. and Dauphin, F.
Maximal densities of μ, δ, and κ receptors are differentially altered by focal cerebral ischaemia in the mouse (787) 237
Breese, G.R., see Duncan, G.E. (787) 181
Breton, C., see Chapouthier, G. (787) 85
Brimijoin, S., see Koenigsberger, C. (787) 248
Britton, B.H., see Thompson, A.M. (787) 175
Brüggemann, J., Shi, T. and Apkarian, A.V.
Viscerosomatic interactions in the thalamic ventral posterolateral nucleus (VPL) of the squirrel monkey (787) 269
Bubser, M. and Deutch, A.Y.
Thalamic paraventricular nucleus neurons collateralize to innervate the prefrontal cortex and nucleus accumbens (787) 304
Burke, W.J., Kristal, B.S., Yu, B.P., Li, S.W. and Lin, T.-S.
Norepinephrine transmitter metabolite generates free radicals and activates mitochondrial permeability transition: a mechanism for DOPEGAL-induced apoptosis (787) 328

Carr, K.D. and Abrahamsen, G.C.
Effect of adrenalectomy on cocaine facilitation of medial prefrontal cortex self-stimulation (787) 321
Castellani, R.J., Perry, G., Harris, P.L.R., Cohen, M.L., Sayre, L.M., Salomon, R.G. and Smith, M.A.
Advanced lipid peroxidation end-products in Alexander's disease (787) 15
Chapouthier, G., Launay, J.-M., Venault, P., Breton, C., Roubertoux, P.L. and Crusio, W.E.
Genetic selection of mouse lines differing in sensitivity to a benzodiazepine receptor inverse agonist (787) 85
Chaulk, P.C. and Harley, C.W.
Intracerebroventricular norepinephrine potentiation of the perforant path-evoked potential in dentate gyrus of anesthetized and awake rats: A role for both α- and β-adrenoceptor activation (787) 59
Cohen, M.L., see Castellani, R.J. (787) 15
Colombo, G., see Pijnappels, M. (787) 149
Croucher, M.J., see Attwell, P.J.E. (787) 286
Crusio, W.E., see Chapouthier, G. (787) 85
Crutcher, K.A., see Tolar, M. (787) 49
Cusack, B., see Tyler, B.M. (787) 78

Darlington, C.L., see Anderson, T.V. (787) 311
Dauphin, F., see Boutin, H. (787) 237
Daval, J.-L., see Bossenmeyer, C. (787) 107
Delivoria-Papadopoulos, M., see Marro, P.J. (787) 71
Deutch, A.Y., see Bubser, M. (787) 304
Dietz, V., see Pijnappels, M. (787) 149
Duncan, G.E., Moy, S.S., Knapp, D.J., Mueller, R.A. and Breese, G.R.
Metabolic mapping of the rat brain after subanesthetic doses of ketamine: potential relevance to schizophrenia (787) 181

Feldon, J., see Joel, D. (787) 143
Florent, G., see Hogan, Y.H. (787) 242
Frankel-Kohn, L., see Monmaur, P. (787) 165
Funahashi, M. and Stewart, M.
GABA receptor-mediated post-synaptic potentials in the retrohippocampal cortices: regional, laminar and cellular comparisons (787) 19

Galdzicki, Z., see Scortegagna, M. (787) 292
Gibbs, R.B.
Levels of trkA and BDNF mRNA, but not NGF mRNA, fluctuate across the estrous cycle and increase in response to acute hormone replacement (787) 259
Gratio, V., see Monmaur, P. (787) 165
Graven-Nielsen, T., Babenko, V., Svensson, P. and Arendt-Nielsen, L.
Experimentally induced muscle pain induces hypoalgesia in heterotopic deep tissues, but not in homotopic deep tissues (787) 203
Gross, Ch., see Boraud, Th. (787) 157
Guehl, D., see Boraud, Th. (787) 157

Hagino, Y., see Watanabe, M. (787) 333
Hammond, P., see Koenigsberger, C. (787) 248
Hanbauer, I., see Scortegagna, M. (787) 292
Harley, C.W., see Chaulk, P.C. (787) 59
Harris, P.L.R., see Castellani, R.J. (787) 15
Hatton, C.J. and Peers, C.
Arachidonic acid inhibits both K^+ and Ca^{2+} currents in isolated type I cells of the rat carotid body (787) 315
Hertz, L., see Wolfson, M. (787) 34
Higashida, H., see Ishizaka, N. (787) 344
Hilgier, W., see Saran, T. (787) 348

ELSEVIER

Brain Research 787 (1998) 358–360

BRAIN RESEARCH

Author Index

Abe, K., Sugiura, M., Shoyama, Y. and Saito, H.
Crocin antagonizes ethanol inhibition of NMDA receptor-mediated responses in rat hippocampal neurons (787) 132
Albrecht, J., see Saran, T. (787) 348
Alia, S., Azérad, J. and Pollin, B.
Effects of RPR 100893, a potent NK1 antagonist, on the jaw-opening reflex in the guinea pig (787) 99
Almeida, A., see Bolaños, J.P. (787) 117
Anderson, C.M., Mandell, A.J., Selz, K.A., Terry, L.M., Wong, C.H., Robinson, S.R., Robertson, S.S. and Smotherman, W.P.
The development of nuchal atonia associated with active (REM) sleep in fetal sheep: presence of recurrent fractal organization (787) 351
Anderson, T.V., Moulton, A.R., Sansom, A.J., Kerr, D.W.R., Laverty, R., Darlington, C.L. and Smith, P.F.
Evidence for reduced nitric oxide synthase (NOS) activity in the ipsilateral medial vestibular nucleus and bilateral prepositus hypoglossi following unilateral vestibular deafferentation in the guinea pig. (787) 311
Arendt-Nielsen, L., see Graven-Nielsen, T. (787) 203
Attwell, P.J.E., Koumentaki, A., Croucher, M.J. and Bradford, H.F.
Specific group II metabotropic glutamate receptor activation inhibits the development of kindled epilepsy in rats (787) 286
Ayalon, L., see Joel, D. (787) 143
Azérad, J., see Alia, S. (787) 99

Babenko, V., see Graven-Nielsen, T. (787) 203
Belayev, L., Busto, R., Ikeda, M., Rubin, L.L., Kajiwara, A., Morgan, L. and Ginsberg, M.D.
Protection against blood–brain barrier disruption in focal cerebral ischemia by the type IV phosphodiesterase inhibitor BBB022: a quantitative study (787) 277
Bezard, E., see Boraud, Th. (787) 157
Bioulac, B., see Boraud, Th. (787) 157
Bolaños, J.P., Almeida, A. and Medina, J.M.
Nitric oxide mediates brain mitochondrial damage during perinatal anoxia (787) 117
Boraud, Th., Bezard, E., Guehl, D., Bioulac, B. and Gross, Ch.
Effects of L-DOPA on neuronal activity of the globus pallidus externalis (GPe) and globus pallidus internalis (GPi) in the MPTP-treated monkey (787) 157
Bossenmeyer, C., Chihab, R., Muller, S., Schroeder, H. and Daval, J.-L.
Hypoxia/reoxygenation induces apoptosis through biphasic induction of protein synthesis in cultured rat brain neurons (787) 107
Boutin, H., Jauzac, P., MacKenzie, E.T. and Dauphin, F.
Maximal densities of μ, δ, and κ receptors are differentially altered by focal cerebral ischaemia in the mouse (787) 237
Breese, G.R., see Duncan, G.E. (787) 181
Breton, C., see Chapouthier, G. (787) 85
Brimijoin, S., see Koenigsberger, C. (787) 248
Britton, B.H., see Thompson, A.M. (787) 175
Brüggemann, J., Shi, T. and Apkarian, A.V.
Viscerosomatic interactions in the thalamic ventral posterolateral nucleus (VPL) of the squirrel monkey (787) 269
Bubser, M. and Deutch, A.Y.
Thalamic paraventricular nucleus neurons collateralize to innervate the prefrontal cortex and nucleus accumbens (787) 304
Burke, W.J., Kristal, B.S., Yu, B.P., Li, S.W. and Lin, T.-S.
Norepinephrine transmitter metabolite generates free radicals and activates mitochondrial permeability transition: a mechanism for DOPEGAL-induced apoptosis (787) 328

Carr, K.D. and Abrahamsen, G.C.
Effect of adrenalectomy on cocaine facilitation of medial prefrontal cortex self-stimulation (787) 321
Castellani, R.J., Perry, G., Harris, P.L.R., Cohen, M.L., Sayre, L.M., Salomon, R.G. and Smith, M.A.
Advanced lipid peroxidation end-products in Alexander's disease (787) 15
Chapouthier, G., Launay, J.-M., Venault, P., Breton, C., Roubertoux, P.L. and Crusio, W.E.
Genetic selection of mouse lines differing in sensitivity to a benzodiazepine receptor inverse agonist (787) 85
Chaulk, P.C. and Harley, C.W.
Intracerebroventricular norepinephrine potentiation of the perforant path-evoked potential in dentate gyrus of anesthetized and awake rats: A role for both α- and β-adrenoceptor activation (787) 59
Cohen, M.L., see Castellani, R.J. (787) 15
Colombo, G., see Pijnappels, M. (787) 149
Croucher, M.J., see Attwell, P.J.E. (787) 286
Crusio, W.E., see Chapouthier, G. (787) 85
Crutcher, K.A., see Tolar, M. (787) 49
Cusack, B., see Tyler, B.M. (787) 78

Darlington, C.L., see Anderson, T.V. (787) 311
Dauphin, F., see Boutin, H. (787) 237
Daval, J.-L., see Bossenmeyer, C. (787) 107
Delivoria-Papadopoulos, M., see Marro, P.J. (787) 71
Deutch, A.Y., see Bubser, M. (787) 304
Dietz, V., see Pijnappels, M. (787) 149
Duncan, G.E., Moy, S.S., Knapp, D.J., Mueller, R.A. and Breese, G.R.
Metabolic mapping of the rat brain after subanesthetic doses of ketamine: potential relevance to schizophrenia (787) 181

Feldon, J., see Joel, D. (787) 143
Florent, G., see Hogan, Y.H. (787) 242
Frankel-Kohn, L., see Monmaur, P. (787) 165
Funahashi, M. and Stewart, M.
GABA receptor-mediated post-synaptic potentials in the retrohippocampal cortices: regional, laminar and cellular comparisons (787) 19

Galdzicki, Z., see Scortegagna, M. (787) 292
Gibbs, R.B.
Levels of trkA and BDNF mRNA, but not NGF mRNA, fluctuate across the estrous cycle and increase in response to acute hormone replacement (787) 259
Gratio, V., see Monmaur, P. (787) 165
Graven-Nielsen, T., Babenko, V., Svensson, P. and Arendt-Nielsen, L.
Experimentally induced muscle pain induces hypoalgesia in heterotopic deep tissues, but not in homotopic deep tissues (787) 203
Gross, Ch., see Boraud, Th. (787) 157
Guehl, D., see Boraud, Th. (787) 157

Hagino, Y., see Watanabe, M. (787) 333
Hammond, P., see Koenigsberger, C. (787) 248
Hanbauer, I., see Scortegagna, M. (787) 292
Harley, C.W., see Chaulk, P.C. (787) 59
Harris, P.L.R., see Castellani, R.J. (787) 15
Hatton, C.J. and Peers, C.
Arachidonic acid inhibits both K^+ and Ca^{2+} currents in isolated type I cells of the rat carotid body (787) 315
Hertz, L., see Wolfson, M. (787) 34
Higashida, H., see Ishizaka, N. (787) 344
Hilgier, W., see Saran, T. (787) 348

Hirobe, M., see Kotake, Y. (787) 341
Hoffman, D., see Marro, P.J. (787) 71
Hogan, Y.H., Florent, G., Hussain, T. and Alkadhi, K.A.
Cyclic AMP antagonizes adenosine-induced inhibition of ganglionic transmission (787) 242

Ikeda, M., see Belayev, L. (787) 277
Ishizaka, N., Noda, M., Yokoyama, S., Kawasaki, K., Yamamoto, M. and Higashida, H.
Muscarinic acetylcholine receptor subtypes in the human iris (787) 344

Joel, D., Ayalon, L., Tarrasch, R., Veenman, L., Feldon, J. and Weiner, I.
Electrolytic lesion of globus pallidus ameliorates the behavioral and neurodegenerative effects of quinolinic acid lesion of the striatum: a potential novel treatment in a rat model of Huntington's disease (787) 143

Kajiwara, A., see Belayev, L. (787) 277
Kanoh, N.
Effects of dopamine hydrochloride (Inovan®) on ouabain-sensitive, K^+-dependent, *p*-nitrophenylphosphatase activity of choroid plexus in guinea pigs (787) 154
Kawamata, T., see Omote, K. (787) 161
Kawarabayashi, T., see Lin, S.-H. (787) 226
Kawasaki, K., see Ishizaka, N. (787) 344
Kerr, D.W.R., see Anderson, T.V. (787) 311
Kiyohara, T., see Lin, S.-H. (787) 226
Knapp, D.J., see Duncan, G.E. (787) 181
Kobayashi, T., Yamada, T. and Okada, Y.
The levels of adenosine and its metabolites in the guinea pig and rat brain during complete ischemia—in vivo study (787) 211
Kocki, T., see Saran, T. (787) 348
Kodama, Y., see Watanabe, M. (787) 333
Koenigsberger, C., Hammond, P. and Brimijoin, S.
Developmental expression of acetyl- and butyrylcholinesterase in the rat: enzyme and mRNA levels in embryonic dorsal root ganglia (787) 248
Kotake, Y., Tasaki, Y., Hirobe, M. and Ohta, S.
Deprenyl decreases an endogenous parkinsonism-inducing compound, 1-benzyl-1,2,3,4-tetrahydroisoquinoline in mice: in vivo and in vitro studies (787) 341
Kristal, B.S., see Burke, W.J. (787) 328
Kurisu, K., see Youn, S.H. (787) 41

Launay, J.-M., see Chapouthier, G. (787) 85
Laverty, R., see Anderson, T.V. (787) 311
Li, S.W., see Burke, W.J. (787) 328
Liénard, F., Galaverna, O., Thornton, S.N., Meile, M.-J. and Nicolaïdis, S.
Acute sodium depletion modifies septo-preoptic neuron sensitivities to neurohormones (787) 171
Lin, S.-H., Miyata, S., Matsunaga, W., Kawarabayashi, T., Nakashima, T. and Kiyohara, T.
Metabolic mapping of the brain in pregnant, parturient and lactating rats using Fos immunohistochemistry (787) 226
Lund, R.D., see Young, M.J. (787) 191

MacKenzie, E.T., see Boutin, H. (787) 237
Maeda, T., see Youn, S.H. (787) 41
Mandell, A.J., see Anderson, C.M. (787) 351
Marro, P.J., Hoffman, D., Schneiderman, R., Mishra, O.P. and Delivoria-Papadopoulos, M.
Effect of allopurinol on NMDA receptor modification following recurrent asphyxia in newborn piglets (787) 71
Medina, J.M., see Bolaños, J.P. (787) 117
Meile, M.-J., see Liénard, F. (787) 171
M'Harzi, M., see Monmaur, P. (787) 165
Milner, T.A., see Otake, K. (787) 1
Mishra, O.P., see Marro, P.J. (787) 71
Miyata, S., see Lin, S.-H. (787) 226
Monmaur, P., Frankel-Kohn, L., Sharif, A., Gratio, V. and M'Harzi, M.
Pharmacological manipulation of hippocampal nitric oxide synthesis affects the power of theta recorded from the dorsal hippocampus of urethane-anesthetized rat (787) 165
Moulton, A.R., see Anderson, T.V. (787) 311
Moy, S.S., see Duncan, G.E. (787) 181
Mueller, R.A., see Duncan, G.E. (787) 181
Muller, S., see Bossenmeyer, C. (787) 107

Nakashima, T., see Lin, S.-H. (787) 226
Namiki, A., see Omote, K. (787) 161
Nicolaïdis, S., see Liénard, F. (787) 171
Noda, M., see Ishizaka, N. (787) 344
Nonaka, R.-i., see Watanabe, M. (787) 333

O'Connor, W.T., Osborne, P.G. and Ungerstedt, U.
Tolerance to catalepsy following chronic haloperidol is not associated with changes in GABA release in the globus pallidus (787) 299
Okada, Y., see Kobayashi, T. (787) 211
Okada, Y., see Yamada, T. (787) 220
Omote, K., Kawamata, T., Kawamata, M. and Namiki, A.
Formalin-induced release of excitatory amino acids in the skin of the rat hindpaw (787) 161
Otake, K., Ruggiero, D.A., Regunathan, S., Wang, H., Milner, T.A. and Reis, D.J.
Regional localization of agmatine in the rat brain: an immunocytochemical study (787) 1

Palmer, A.A. and Printz, M.P.
Attenuation of Fos expression to airpuff startle stimuli following tympanic membrane rupture (787) 91
Perry, G., see Castellani, R.J. (787) 15
Pijnappels, M., Van Wezel, B.M.H., Colombo, G., Dietz, V. and Duysens, J.
Cortical facilitation of cutaneous reflexes in leg muscles during human gait (787) 149
Printz, M.P., see Palmer, A.A. (787) 91

Rapoport, S.I., see Scortegagna, M. (787) 292
Regunathan, S., see Otake, K. (787) 1
Reis, D.J., see Otake, K. (787) 1
Richelson, E., see Tyler, B.M. (787) 78
Robertson, S.S., see Anderson, C.M. (787) 351
Robinson, S.R., see Anderson, C.M. (787) 351
Roubertoux, P.L., see Chapouthier, G. (787) 85
Rubin, L.L., see Belayev, L. (787) 277
Ruggiero, D.A., see Otake, K. (787) 1

Saito, H., see Abe, K. (787) 132
Salomon, R.G., see Castellani, R.J. (787) 15
Sansom, A.J., see Anderson, T.V. (787) 311
Saran, T., Hilgier, W., Kocki, T., Urbanska, E.M., Turski, W.A. and Albrecht, J.
Acute ammonia treatment in vitro and in vivo inhibits the synthesis of a neuroprotectant kynurenic acid in rat cerebral cortical slices (787) 348
Sayre, L.M., see Castellani, R.J. (787) 15
Schneiderman, R., see Marro, P.J. (787) 71
Schroeder, H., see Bossenmeyer, C. (787) 107
Scortegagna, M., Galdzicki, Z., Rapoport, S.I. and Hanbauer, I.
In cortical cultures of trisomy 16 mouse brain the upregulated metallothionein-I/II fails to respond to H_2O_2 exposure or glutamate receptor stimulation (787) 292
Selz, K.A., see Anderson, C.M. (787) 351
Sharif, A., see Monmaur, P. (787) 165
Shi, T., see Brüggemann, J. (787) 269
Shoyama, Y., see Abe, K. (787) 132
Smith, M.A., see Castellani, R.J. (787) 15
Smith, P.F., see Anderson, T.V. (787) 311
Smotherman, W.P., see Anderson, C.M. (787) 351
Stewart, M., see Funahashi, M. (787) 19
Sugiura, M., see Abe, K. (787) 132
Suzumura, A., Sawada, M. and Takayanagi, T.
Production of interleukin-12 and expression of its receptors by murine microglia (787) 139

Takayanagi, T., see Suzumura, A. (787) 139
Tang, H.-W. and Cassel, G.
Inhibition by soman of NMDA-stimulated [^{3}H]norepinephrine release from rat cortical slices, studies of non-cholinergic effect (787) 123
Tasaki, Y., see Kotake, Y. (787) 341
Terry, L.M., see Anderson, C.M. (787) 351
Thompson, A.M., Thompson, G.C. and Britton, B.H.
Serotoninergic innervation of stapedial and tensor tympani motoneurons (787) 175
Thornton, S.N., see Liénard, F. (787) 171
Tolar, M., Scott, S.A. and Crutcher, K.A.
Sympathetic neurite outgrowth is greater on plaque-poor vs. plaque-rich regions of Alzheimer's disease cryostat sections (787) 49
Torigoe, K. and Awaya, A.
A newly synthesized neurotropic pyrimidine compound, MS-818, may activate migratory Schwann cells in peripheral nerve regeneration (787) 337

Tyler, B.M., Groshan, K., Cusack, B. and Richelson, E.
In vivo studies with low doses of levocabastine and diphenhydramine, but not pyrilamine, antagonize neurotensin-mediated antinociception (787) 78

Urbanska, E.M., see Saran, T. (787) 348

Van Wezel, B.M.H., see Pijnappels, M. (787) 149
Veenman, L., see Joel, D. (787) 143
Venault, P., see Chapouthier, G. (787) 85

Wakisaka, S., see Youn, S.H. (787) 41
Wang, H., see Otake, K. (787) 1
Watanabe, M., Kodama, Y., Hagino, Y., Nonaka, R.-i. and Kaichi, Y.
Effect of chronic amitriptyline administration on serotonergic receptors in rats with methylazoxymethanol-induced microencephaly (787) 333
Wolfson, M., Hertz, E., Belmaker, R.H. and Hertz, L.
Chronic treatment with lithium and pretreatment with excess inositol reduce inositol pool size in astrocytes by different mechanisms (787) 34

Yamada, T., Kobayashi, T. and Okada, Y.
The effects of simulated ischemia on the levels of adenosine and its metabolites in slices of cerebellum, superior colliculus and hippocampus in the guinea pig—in vitro study (787) 220
Yamamoto, M., see Ishizaka, N. (787) 344
Yokoyama, S., see Ishizaka, N. (787) 344
Youn, S.H., Maeda, T., Kurisu, K. and Wakisaka, S.
Growth-associated protein-43 (GAP-43) in the regenerating periodontal Ruffini endings of the rat incisor following injury to the inferior alveolar nerve (787) 41
Young, M.J. and Lund, R.D.
The retinal ganglion cells that drive the pupilloconstrictor response in rats (787) 191